# MASTER II INTERNSHIP Using machine learning to capture and model the singularity of gaze and spatial trajectories

Supervisors: Antoine Coutrot (antoine.coutrot@ls2n.fr); Patrick Le Callet (patrick.lecallet@ls2n.fr) Laboratoire des Sciences du Numérique de Nantes (LS2N) - CNRS & Université de Nantes

**keywords:** machine learning | big data | eye-tracking | spatial navigation | video game | individual differences



Figure 1. A-B Spatial trajectories recorded from a video game [1]. C Gaze trajectories recorded with an eye-tracker [2].

### Context

Understanding how people navigate and explore the world is critical to many scientific fields, including image processing [3], clinical diagnosis [4,5] and cognitive states inference [6]. In the last few years, many studies proposed models of visual attention trying to predict what in a scene attracts the observers' attention [7]. However, models' prediction are still far from human behavior.

## Project

During this internship, the candidate will use machine learning to capture observer's singularity in how they explore the world. By capturing and modelling these singularities, the candidate will build models tailored for specific subgroups of the population (e.g. patients). The candidate will work with a planetary-wide database of over 4 million spatial trajectories crowd-sourced via a video-game, Sea Hero Quest [1]. This constitutes one of the largest database of human behavior designed for scientific purposes in the history of science. The portability of the developed approches from gaze to spatial navigation trajectories will be studied.

#### Implications

Models able to automatically adapt to a specific population and predict their gaze / spatial navigation trajectories will have strong implications in a number of fields such as

- Clinic, as gaze and spatial navigation are reliable biomarkers of many diseases such as Alzheimer's,
- Robotics, e.g. implementing human-like behavior in robots' visual and navigation system,
- Image compression, e.g. personalized foveated rendering in virtual reality,

- Deep learning, e.g. using for the first time a 4 million human database to train networks,

## Candidate profile & Position

We are looking for a candidate with a solid background in computer science, machine learning, applied statistics, or in a related field. Interest for artificial intelligence and neuroscience, as well as experience with large and noisy human signals will be a strong plus. Good programming and English skills are expected.

Starting date: 01/02/2019 - Duration: 6 months This internship will open on a fully-funded 3-years PhD position on a similar topic.

# References

- 1. Coutrot, A. et al. Global Determinants of Navigation Ability. Current Biology 28, 1-6 (2018).
- Kurzhals, K. & Weiskopf, D. AOI Transition Trees. In Graphics Interface Conference, 41–48 (Halifax, Nova Scotia, Canada, 2015).
- Kümmerer, M., Wallis, T. & Bethge, M. Deepgaze ii: Predicting fixations from deep features over time and tasks. *Journal of Vision* 17, 1147–1147 (2017).
- 4. Itti, L. New Eye-Tracking Techniques May Revolutionize Mental Health Screening. Neuron 88, 442–444 (2015).
- Coughlan, G., Laczo, J., Hort, J., Minihane, A.-M. & Hornberger, M. Spatial navigation deficits overlooked cognitive marker for preclinical Alzheimer disease? *Nature Reviews Neurology* (2018).
- König, P. et al. Eye movements as a window to cognitive processes. Journal of Eye Movement Research 9, 1–16 (2016).
- Borji, A. & Itti, L. State-of-the-art in Visual Attention Modeling. *IEEE Transactions on Pattern Analysis and Machine Intelligence* 35, 185–207 (2013).